

Haven Collection

vari.[®]



Designed for flexible configurations, the armless chair, bench, and ottomans allow expansion and reconfiguration as spaces evolve while providing adaptable seating and surface solutions.

Additional Details

- Designed for Modular Expansion Capability
- Reinforced Engineered Hardwood Frame with Web Suspension
- High-Resilience Foam Core
- Hard-Top Ottoman Features Easy-to-Clean Laminate Top
- Ships Fully Assembled with Freight Delivery
- 10-Year Limited Warranty
- Armless Chair, Bench, and All Ottomans Each Support up to 350 lb (158.75 kg)



HAVEN ARMLESS CHAIR

Available in Fine Wine, **Graphite Faux Leather Vinyl**, Navy, or Soot




HAVEN UPHOLSTERED BENCH

Available in **Firefinch**, Graphite Faux Leather Vinyl, Navy, or Crow



HAVEN ROUND OTTOMAN

Available in Ruby, Navy, Graphite Faux Leather Vinyl, or **Bluebird**



HAVEN SQUARE OTTOMAN

Available in Firefinch, Graphite Faux Leather Vinyl, or **Sparrow**



HAVEN HARD-TOP OTTOMAN

Available in **Navy/Walnut**




Fabric Details and Swatches




BLUEBIRD¹

Haven Round Ottoman




CROW¹

Haven Upholstered Bench



FINE WINE¹

Haven Armless Chair




FIREFINCH¹

*Haven Upholstered Bench
Haven Square Ottoman*




NAVY¹

*Haven Armless Chair
Haven Upholstered Bench
Haven Hard-Top Ottoman
Haven Round Ottoman*




RUBY²

Haven Round Ottoman



SOOT²

Haven Armless Chair



SPARROW¹

Haven Square Ottoman

FABRIC COMPOSITION

¹ 100% Polyester with Synthetic Latex Backing

² 98% Polyester, 2% Nylon with Synthetic Latex Backing

FABRIC COMPLIANCE AND DURABILITY

- Abrasion Resistance Suitable for Heavy-Use Environments — 95,000–100,000 Double Rubs
- Class 4 Lightfastness (40–100 hours) — Resistant to Fading under Light Exposure
- Class 3 (Wet) or Class 4 (Dry) Colorfastness — Strong Resistance to Color Transfer under Normal Use Conditions
- All Fabrics Meet the Standards Flammability Compliance (CA 117-2013, UFAC Class 1, and NFPA 260 Class 1) and Are Suitable for Use in Office and Commercial Environments

FABRIC STAIN RESISTANCE


Treated with iClean Nano Technology for a High-Performance Stain-Repellent Finish

FABRIC CARE & MAINTENANCE

1. Vacuum upholstery before cleaning.
2. Blot spills immediately using a soft cloth.
3. Use a damp cloth or sponge (water only).
4. Work from the outer edge toward the center of the stain.
5. Blot dry using clean paper towels.

Avoid harsh chemicals or aggressive scrubbing.

Wood Swatch



WALNUT

Haven Hard-Top Ottoman

COMPOSITION

Laminate

CARE & MAINTENANCE

To clean the surface, use a damp cloth or sponge and a mild soap or detergent. Rinse thoroughly with warm water and wipe dry.

Faux Leather Vinyl Details and Swatch



GRAPHITE

*Haven Armless Chair
Haven Upholstered Bench
Haven Round Ottoman
Haven Square Ottoman*

FABRIC COMPOSITION

100% Polyurethane

Backing: 70% Polyester 30% Cotton

FABRIC COMPLIANCE AND DURABILITY

- Abrasion Resistance Suitable for Heavy-Use Environments — 200,000 Double Rubs
- Class 4 Lightfastness (40–200 hours) — Resistant to Fading under Light Exposure
- Class 4 (Wet & Dry) Colorfastness — Strong Resistance to Color Transfer under Normal Use Conditions
- All Fabrics Meet the Standards Flammability Compliance (CA 117-2013, UFAC Class 1, and NFPA 260 Class 1) and Are Suitable for Use in Office and Commercial Environments

FABRIC FINISH

Treated with Antimicrobial-Silver Ion Technology

FABRIC CARE & MAINTENANCE

A clean cloth, dampened with the appropriate cleaning solution, should be applied to the affected areas as soon as possible. Blot the fabric with the treated cloth, working from the outer edge of the stained area and moving in toward the center. In order to effectively draw out the stain, renew the cleaning cloth as often as necessary to maintain an absorbent surface.

Clean all stained areas as soon as possible in accordance with the recommended stain removal procedures. Spot clean with upholstery shampoo, foam from a mild detergent, or mild dry cleaning solvent. Hot water extraction or steam cleaning is not a recommended cleaning method. Clean spots or stains from the outside to the middle of the affected area to prevent circling (see Stain Removal Matrix below).

1. Soap and water
2. Difficult stains use Fantastik® or Formula 409®
3. Disinfects with 5:1 water/bleach solution